

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK


INFRASTRUCTURE DETAILS OF COLLEGE AND HOSPITAL

Sr. No.	Particulars to be verified	Actual Available	Lacuna
College			
1	Land details (as per M.S.R.): Total land (Not less than 2 acres), (Owned or leased land), unitary or not, NA of all land, 7/12 extracts of all land, Constructed Area Details.....Sq.ft./Sq.mtr. (Applicable only to Private Colleges) . (Verify land documents & Government permissions documents are uploaded on College Website.) (No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Available	Adequate
2	Dean office, Professor's Office, Associate Professor's Office, Assistant Professor's Office, Administrative Block as per M.S.R..	Available	Adequate
3	All DEPARTMENTS (as per M.S.R.): Human Anatomy, Human Physiology, Electrotherapy & Electrodagnosis, Kinesiotherapy & Physical Diagnosis, Musculoskeletal Physiotherapy, Neuro Physiotherapy, Cardiovascular & Respiratory Physiotherapy, Community Physiotherapy	Available	Adequate
4	College Library (as per M.S.R.): Area (1200 Sq.Ft.), Reading Rooms for Students, Staff Reading Room, Room for Books & Journals, Rooms for Librarian and Other Staff; Journal Room, Number of Computers with internet facility with minimum 15 nodes, Photocopier Machine, Total No. of books, Number of Journals: (Titles only), (Multiple volumes / issues of one title should be counted as ONE).	Available	Adequate
	No. of books added in last year: 117 No. of Journals titles added in last year: 09 Bills shall be verified by the Committee.	Available	Adequate
	Digital Library / e – Library availability	Available	Adequate
5	Details of all Lecture Theatres with Seating Capacity (as per M.S.R.) along with AV Aids including overhead projector, LCD Projector and a microphone / multi Podium system. There shall be provision for E-class. Lecture halls must have facilities for conversion into E-class/Virtual class for teaching.	Available	Adequate
6	Conference Room for Faculty: (as per M.S.R.)	Available	Adequate
7	Mini Auditorium: (15 Sq.Ft./Student) (as per M.S.R.)	Available	Adequate
8	Class Rooms: (15 Sq.Ft./Student) (as per M.S.R.)	Available	Adequate
9	Core Laboratories: (50 Sq.Ft./Student) (as per M.S.R.) Exercise Physiology & Fitness : Computerized Treadmill, Bicycle ergometer with speedometer, Skin fold caliper, Body composition analyzer, Weighing scale with height measurement, Spirometer, Peak flow meter, Energy Consumption analyzer, Pulse Oxymeter, ECG, Flutter, Inspiratory Muscle Trainer, Oxygen Cylinder, Nebulizer (ultrasonic), Nebulizer (Jet), Portable Suction Machine, B.P. Apparatus & Stethoscope, Shuttle Walk Test Software (Desirable).	Available	Adequate
10	Physiotherapy Museum: (as per M.S.R.) (Desirable)	Available	Adequate
11	Yoga / Clinical Skill Laboratory: (60 Sq.Ft./Student) (as per M.S.R.) Yoga Mats / Pediatric Mats / Mats for Training Neurotherapeutic Skills, Adjustable Manual Therapy Plinth, Therabands & Theratubes, Swiss balls, Stability Trainers, Sensory Assessment Kit, Balance Assessment & Training Equipment, Stools, Benches, Wheel Chairs, Stairs, Ramps For Training Transfers.	Available	Adequate
12	University Examination Infrastructure: Strong Room for examination a) (Area- 1200 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility	Available	Adequate

13	Residential quarter facility for staff: Teaching, Non-teaching, Paramedical & Nursing staff	Yes/No/NA	NA
14	Other facilities: Hospital Waste Management Unit, Research Cell, Intercom Network, Playground, P.T Teacher or Instructor, Common Rooms for Boys, Common Room for Girls, Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility,.	Available	Adequate
15	Hostel Facility: Boys (UG), Girls (UG), Interns, Canteen Facility, Warden/ Rector, Hygiene, etc. [Note: Verify Canteen Facility is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Available	Adequate
	- As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. - If Infrastructure is available, then mark "Adequate" & do not attach any documents. - In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence.		

HOSPITAL			
16	Hospital Details	Actual Available	Lacuna
	Name of the Hospital : MGM Hospital	Available	Adequate
	Bed Strength : 1180		
	Number of beds registered as per BNH act: 1180		
17	Clinical Facilities : Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of the College		
a.	Total built up area of Hospital (in Sq.Ft.) : 25830.90	Available	Adequate
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: (Please attach copy of registration certificate)	Available	Adequate
c.	Whether Casualty is available and functional :	Available	Adequate
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)		Adequate
19	Ambulances : Owned, Hired		Owned
	Any other		
	- As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. - If Infrastructure is available, then mark "Adequate" & do not attach any documents. - In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence.		




 Dean/Principal Stamp & Signature
 MGM Institute of Physiotherapy
 Chhatrapati Sambhajinagar

Infrastructure

Collège Building: Own/Rented Own
 Total Build up area available for college building: 41929.62
 Intake Capacity 60

The below mentioned is Minimum Standard Requirement For UG

Space allotment	10 Intake	30 Intake	31 to 40 Intake	41 to 50 Intake	51 to 60 Intake	61 to 100 Intake	Actual available	Lacuna
Administrative office with storage space	300	300	300	400	400	500	330.54	
Director/dean/principal /H.O.D.'s office	400	400	400	400	400	400	438	
Professor's office	NA	300	300	600	600	750	600	
Associate Professor's office	100	400	400	600	600	1000	600	
Assistant Professor's office	225	525	525	600	600	1275	600	
Conference room	300	300	300	300	500	500	485	
Mini Auditorium	1500	1500	1500	1500	1500	1600	3600	
Anatomy	1200	1200	1200	1200	1500	1500	1500	
Physiology	1200	1200	1200	1200	1500	1500	1500	
Electrotherapy & Electrodiagnosis	1200	1200	1200	1200	1500	1500	1736.65	
Kinesiology, Kinesiotherapy & Movement Sciences	1200	1200	1200	1200	1500	1500	1748	
Clinical Skill Lab / Yoga Lab	1200	1200	1200	1200	1500	1500	5543	
Therapeutic Gym	1200	1200	1200	1200	1500	1500	1297.43	
Indoor-physiotherapy department	1200	1200	1200	1200	1200	1200	1200	
Out-door physiotherapy department	5000	5000	5000	5000	6000	6000	7435	
Recreational Area	600	600	1000	1200	1200	1200	1200	
Library Space	300	600	900	1000	1200	2000	3372	
Class Rooms (15 Sq Ft per student 1 class room for each year)	150 / Classroom 600	450 / Classroom 1800	600 / Classroom 2400	750 / Classroom 3000	900 / Classroom 3600	1500 / Classroom 6000	3600	
Student Girls Common Rooms	600	500	800	1000	1000	1200	854	
Student Boys Common Rooms	250	250	250	400	400	600	854	
Final Year Departmental Area (MSK, Neuro, Cardio, Community,	1200	1200	1200	1500	1500	2000	3436	
Total Available	19775	22075	23675	25900	29700	35225	41929.62	


* In absence of attached Medical College, Library space should be 2000 Sq. Ft.



Dean/ Principal Stamp & Signature

MGM Institute of Physiotherapy
Chhatrapati Sambhajinagar

Verified by The LIC Committee Members




THIRD FLOOR PLAN

SHEET TITLE	
THIRD FLOOR PLAN FOR MGM SCHOOL OF PHYSIOTHERAPY	
AREA = 2335.75 SQ.MT.	
= 25132.67 SQ.FT.	
☐	ELECTRO THERAPY AND ELECTRODIAGNOSIS LAB AREA= 1736.65 sq.ft
☐	KINESIOTHERAPY AND FUNCTIONAL DIAGNOSIS LAB AREA= 1294.54 sq.ft
☐	COMMUNITY PHYSIOTHERAPY LAB AREA= 755.45 sq.ft
☐	CARDIOVASCULAR AND RESPIRATORY PHYSIOTHERAPY LAB AREA = 681.75 sq.ft
☐	MUSCULOSKELETAL PHYSIOTHERAPY LAB AREA= 881.28 sq.ft.
☐	NEURO PHYSIOTHERAPY LAB AREA = 881.28 sq.ft.
☐	SPORTS PHYSIOTHERAPY LAB AREA= 306.78 sq.ft
JOB TITLE	
MGM INSTITUTE OF PHYSIOTHERAPY AT "C" BUILDING, N-6, CIDCO, AURANGABAD	
NAME SIGN AND ADD OF ARCHITECT	
DHANASHREE KALE ARCHITECT MGM CAMPUS N-6 CIDCO, AURANGABAD	
SCALE	NORTH
CHECKED BY. S.S.N.	N
DATE 16/08/2024	
DRG. NO.	



V.E.
Principal
MGM Institute of Physiotherapy
Chhatrapati Sambhajinagar



GROUND FLOOR PLAN



SHEET TITLE	
GROUND FLOOR PLAN FOR MGM SCHOOL OF PHYSIOTHERAPY	
AREA = 2355.35 SQ.MT. = 25343.56 SQ.FT.	
LEGEND	
	EXERCISE PHYSIOTHERAPY FITNESS LAB AREA = 1397.65 SQ.FT.
	CLINICAL SKILL LAB AREA = 854.66 sq.ft.
JOB TITLE	
MGM SCHOOL OF PHYSIOTHERAPY AT "C" BUILDING-N-6,CIDCO, AURANGABAD	
NAME SIGN AND ADD OF ARCHITECT	
DHANASHREE KALE ARCHITECT MGM CAMPUS N-6 CIDCO, AURANGABAD	
SCALE	NORTH
CHECKED BY.	S.S.N.
DATE	16/08/2024
DRG. NO.	



V.R.
Principal
MGM Institute of Physiotherapy
Chhatrapati Sambhajinagar